

AperTO - Archivio Istituzionale Open Access dell'Università di Torino

**Non-invasive mobile technology to study the stratigraphy of ancient Cremonese violins: OCT, NMR-MOUSE and reflection FT-IR spectroscopy**

**This is the author's manuscript**

*Original Citation:*

*Availability:*

This version is available <http://hdl.handle.net/2318/1751001> since 2020-08-18T22:03:17Z

*Publisher:*

University of Antwerp

*Terms of use:*

Open Access

Anyone can freely access the full text of works made available as "Open Access". Works made available under a Creative Commons license can be used according to the terms and conditions of said license. Use of all other works requires consent of the right holder (author or publisher) if not exempted from copyright protection by the applicable law.

(Article begins on next page)

## Non-invasive mobile technology to study the stratigraphy of ancient Cremonese violins: OCT, NMR-MOUSE and reflection FT-IR spectroscopy

C. Invernizzi<sup>1,2</sup>, M. Iwanicka<sup>3</sup>, P. Targowski<sup>4</sup>, B. Blümich<sup>5</sup>, C. Rehorn<sup>5</sup>, G. Fiocco<sup>1,6</sup>, D. Bersani<sup>2</sup> and M. Malagodi<sup>1,7</sup>

<sup>1</sup> *Università degli Studi di Pavia, Laboratorio Arvedi di Diagnostica Non-Invasiva, CISRiC, Via Bell'Aspa 3, 26100 Cremona, Italy*

<sup>2</sup> *Università degli Studi di Parma, Dipartimento di Scienze Matematiche, Fisiche e Informatiche, Parco Area delle Scienze 7/A, 43124 Parma, Italy*

<sup>3</sup> *Nicolaus Copernicus University, Faculty of Fine Arts, Institute of Art Conservation Science, Sienkiewiczza 30/32, 87100 Toruń, Poland*

<sup>4</sup> *Nicolaus Copernicus University, Faculty of Physics, Astronomy and Informatics, Institute of Physics, Grudziądzka 5, 87100 Toruń, Poland*

<sup>5</sup> *RWTH Aachen University, Institut für Technische und Makromolekulare Chemie, Worringer Weg 2, 52074 Aachen, Germany*

<sup>6</sup> *Università di Torino, Dipartimento di Chimica, Via Pietro Giuria 5, 10125 Turin, Italy*

<sup>7</sup> *Università degli Studi di Pavia, Dipartimento di Musicologia e Beni Culturali, Corso Garibaldi 178, 26100 Cremona, Italy*

**Keywords:** violin, stratigraphy, optical coherence tomography, nuclear magnetic resonance, reflection FT-IR spectroscopy

The modern violin is generally believed to have emerged in Italy in the first half of the 16<sup>th</sup> century. The scientific study of its complex stratigraphy began approximately in the 1980s with invasive standard methods, consisting of the application of analytical techniques to cross-sections of micro-samples collected from the historical violins. Only since the last decade or so, the focus of diagnostic investigations has been increasingly shifted towards the use of non-invasive approaches in order to preserve the value and the integrity of these masterpieces.

In this work, precious historical Cremonese violins, made during the Italian Baroque period by the great master luthiers of the Amati, Stradivari and Guarneri families, have been non-invasively analysed for the first time by combining optical coherence tomography (OCT), nuclear magnetic resonance (NMR-MOUSE) and reflection FT-IR spectroscopy. Portable instrumentation allowed non-invasive on-site analyses of the violins preserved at the Museo del Violino in Cremona. The aim of this multi-technique campaign, performed within the MOLAB Transnational Access - EU H2020 Project IPERION CH, was the characterisation of the stratigraphy from the outermost varnish layers to the innermost wood treatments. OCT [1] provided information about number and thickness of varnish and preparation layers, as well as detecting dispersed particles acting as fillers or colourants; FT-IR spectroscopy identified the chemical composition of the layered materials [2]; and the NMR-MOUSE investigated the wood density and elasticity, revealing wood treatments at the inner and outer surfaces of the plates [3]. The gathered results add a further valuable contribution to the knowledge of the ancient processes adopted in the Cremonese violin making workshops during the considered period and subsequent restoration efforts.

### References

- [1] P. Targowski and M. Iwanicka, *Appl. Phys. A*, **106** (2012) 265-277
- [2] C. Invernizzi, A. Daveri, T. Rovetta, M. Vagnini, M. Licchelli, F. Cacciatori and M. Malagodi, *Microchem. J.*, **124** (2016) 743-750
- [3] C. Rehorn and B. Blümich, *Angew. Chem. Int. Ed.*, **57** (2018) 7304-7312